VOL. 572, NOS. 1+2 JOURNAL OF CHROMATOGRAPHY DECEMBER 6, 1991

(Biomedical Applications, Vol. 110, Nos. 1+2)

CONTENTS

(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Clinical Chemistry Lookout, Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CRNS, Pharmaceutical Abstracts, Referativnyi Zhurnal, Research Alert, Science Citation Index and Trends in Biotechnology)

Analysis of polyunsaturated fatty acids in blood serum after fish oil administration
by H. M. Liebich, C. Wirth and B. Jakober (Tübingen, Germany) (Received July 8th, 1991) 1

Reversed-phase high-performance liquid chromatographic analysis of branched-chain keto acid hydrazone derivatives: optimization of techniques and application to branched-chain keto acid balance studies across the forearm
by G. Garibotto, P. Ancarani, R. Russo, M. R. Sala, F. Fiorini and E. Paoletti (Genova, Italy) (Received July 5th, 1991) 11

Simple approach to measure metabolic pathways of steroids in living cells
by L. A. Castagnetta, O. M. Granata, M. Lo Casto, M. Calabró, F. Arcuri and G. Carruba (Palermo, Italy) (Received July 22nd, 1991) 25

Determination of cholesterol and cortisone absorption in polyurethane. I. Methodology using size-exclusion chromatography and dual detection
by J. G. Dillon and M. K. Hughes (Rockville, MD, USA) (Received June 26th, 1991) . . 41

Peptide mapping through the coupling of capillary electrophoresis and high-performance liquid chromatography: map prediction of the tryptic digest of myoglobin
by M. Castagnola, L. Cassiano, R. Rabino, D. V. Rossetti and F. A. Bassi (Rome, Italy) (Received July 30th, 1991) 51

Comparison of ion-exchange chromatography, isoelectric precipitation and reversed-phase high-performance liquid chromatography for the separation of individual cardiac myosin light chains
by Q. Shi (Toronto, Canada), P. M. Olley (Alberta, Canada) and G. Jackowski (Toronto, Canada) (Received July 22nd, 1991) 59

Determination of dietary cadmium-induced metallothioneins in rabbit kidneys and cadmium in metallothioneins by anion-exchange high-performance liquid chromatography coupled with graphite furnace atomic absorption spectrometry
by S. Peng, S. Xiao-Quan, Z. Yan, J. Long-Zhu and X. Wei-Bing (Beijing, China) (Received July 12th, 1991) 73

Factors affecting the specific activity of immobilized antibodies and their biologically active fragments
by R. L. Wimalasena and G. S. Wilson (Lawrence, KS, USA) (Received July 15th, 1991) . 85

Simultaneous determination of retinol, α-tocopherol and β-carotene in serum by isocratic high-performance liquid chromatography
by J. Arnaud, I. Fortis, S. Blachier, D. Kia and A. Favier (Grenoble, France) (Received July 11th, 1991) 103

(Continued overleaf)

Method for the biological monitoring of hexahydrophthalic anhydride by the determination of hexahydrophthalic acid in urine using gas chromatography and selected-ion monitoring
by B. Jönsson and G. Skarping (Lund, Sweden) (Received June 21st, 1991) 117

Avidin protein-conjugated column for direct injection analysis of drug enantiomers in plasma by high-performance liquid chromatography
by Y. Oda, N. Asakawa, S. Abe, Y. Yoshida and T. Sato (Ibaraki, Japan) (Received July 30th, 1991) 133

Characterisation of metabolites of 3-ethyl-3-(4-pyridyl)piperidine-2,6-dione, a potential breast cancer drug
by G. K. Poon, R. McCague, L. J. Griggs and M. Jarman (Sutton, UK) and I. A. S. Lewis (London, UK) (Received July 29th, 1991) 143

High-performance liquid chromatographic method for the quantitation of quinidine and selected quinidine metabolites
by G. L. Hoyer, D. C. Clawson, L. A. Brookshier, P. E. Nolan and F. I. Marcus (Tucson, AZ, USA) (Received June 25th, 1991) 159

Sensitive method for the determination of vincristine in human serum by high-performance liquid chromatography after on-line column-extraction
by H. Bloemhof, K. N. van Dijk and S. S. N. de Graaf (Groningen, Netherlands), D. E. M. M. Vendrig (Weesp, Netherlands) and D. R. A. Uges (Groningen, Netherlands) (Received June 26th, 1991) 171

Determination of the quaternary compound ciclotropium in human biological material after hydrolysis and derivatization with the fluorophor flunoxaprofen chloride
by B. Liebmann, D. Henke, H. Spahn-Langguth and E. Mutschler (Frankfurt am Main, Germany) (Received June 10th, 1991) 181

Determination of zopiclone enantiomers in plasma by liquid chromatography using a chiral cellulose carbamate column
by C. Fernandez and B. Baune (Paris, France), F. Gimenez (Paris and Châtenay-Malabry, France), A. Thuillier (Paris, France) and R. Farinotti (Châtenay-Malabry and Paris, France) (Received June 27th, 1991) 195

Determination of tertatolol enantiomers in biological fluids by high-performance liquid chromatography
by T. Lave, C. Efthymiopoulos, J. C. Koffel and L. Jung (Illkirch-Graffenstaden, France) (Received July 22nd, 1991) 203

Measurement of epidoxorubicin and its metabolites by high-performance liquid chromatography using an advanced automated sample processor
by N. A. Dobbs and C. J. Twelves (London, UK) (Received July 22nd, 1991) 211

Simultaneous determination of centbutindole and its hydroxy metabolite in serum by high-performance liquid chromatography
by J. K. Paliwal, R. C. Gupta, P. K. Grover, O. P. Asthana and S. Nityanand (Lucknow, India) (Received July 9th, 1991) 219

Sensitive high-performance liquid chromatographic determination of famotidine in plasma. Application to pharmacokinetic study
by S. Wanwimolruk, A. R. Zoest, S. Z. Wanwimolruk and C. T. Hung (Dunedin, New Zealand) (Received July 18th, 1991) 227

Rapid high-performance liquid chromatographic method for the determination of propranolol levels in canine and feline plasma
by K. M. Hedeen (Research Triangle Park, NC, USA), K. Tyczkowska and D. P. Aucoin (Raleigh, NC, USA) and R. M. Norton (Research Triangle Park, NC, USA) (Received July 16th, 1991) 239

Determination of imipramine, desipramine and their hydroxy metabolites by reversed-phase chromatography with ultraviolet and coulometric detection
by J. P. Foglia, D. Sorisio and J. M. Perel (Pittsburgh, PA, USA) (Received July 17th, 1991) 247

Simultaneous determination of haloperidol and its metabolite, reduced haloperidol, in plasma, blood, urine and tissue homogenates by high-performance liquid chromatography
by K. H. Park, M. H. Lee and M. G. Lee (Seoul, South Korea) (Received July 30th, 1991) 259

Performance analysis of a reversed-phase liquid chromatographic assay of lamotrigine in plasma using solvent-demixing extraction
by M. Cociglio, R. Alric and O. Bouvier (Montpellier, France) (Received July 30th, 1991) 269

Use of dabsylation, column switching and chiral separation for the determination of a renin inhibitor in rat, marmoset and human plasma
by B. Ba, G. Eckert and J. Leube (Basel, Switzerland) (Received June 20th, 1991) 277

Isolation of microfilariae from blood by gravitational field-flow fractionation
by A. Merino, C. Bories, J.-C. Gantier and P. J. P. Cardot (Châtenay-Malabry, France) (Received June 26th, 1991) 291

Short Communications

Trimethylsilyl-O-methyloxime derivatives for the measurement of [6,6-$^2H_2$]-D-glucose-enriched plasma samples by gas chromatography–mass spectrometry
by D. Küry and U. Keller (Basel, Switzerland) (Received July 9th, 1991) 302

Sources of plant sterol contaminants encountered in low level steroid analysis
by C. D. Banner (Stockholm and Huddinge, Sweden) (Received July 2nd, 1991) 307

High-performance liquid chromatographic determination of desmosine and isodesmosine after phenylisothiocyanate derivatization
by M. Salomoni, M. Muda, E. Zuccato and E. Mussini (Milan, Italy) (Received July 24th, 1991) 312

Application of ion-pair high-performance liquid chromatography to detection of the atypical coproporphyrin isomers II and IV in human faeces
by K. Jacob, E. Egeler, B. Hennel, D. Neumeier and P. Luppa (Munich, Germany) (Received July 8th, 1991) 317

Determination of 9-[(2-phosphonylmethoxy)ethyl]adenine in rat urine by high-performance liquid chromatography with fluorescence detection
by J. W. Russell, D. Marrero, V. J. Whiterock, L. J. Klunk and J. E. Starrett (Wallingford, CT, USA) (Received June 14th, 1991) 321

Determination of 2′-deoxy-5-iodouridine and its metabolite 5-iodouracil by high-performance liquid chromatography with ultraviolet absorbance detection in human serum
by N. Belotto, V. Reiner, F. Verga, G. Canobbio, F. Lietti and P. Magnani (Como, Italy) and C. Lucarelli (Rome, Italy) (Received June 24th, 1991) 327

(Continued overleaf)

Simple isocratic high-performance liquid chromatographic method for measurement of iodixanol in human plasma
by H. Nomura, E. Teshima and H. Hakusui (Tokyo, Japan) (Received July 3rd, 1991) . . 333

Simplified, rapid and inexpensive extraction procedure for a high-performance liquid chromatographic method for determination of disopyramide and its main metabolite mono-N-dealkylated disopyramide in serum
by F. Mayer, B. K. Krämer, K. M. Ress, V. Kühlkamp, H. M. Liebich, T. Risler and L. Seipel (Tübingen, Germany) (Received July 15th, 1991) 339

High-performance liquid chromatographic method for the determination of a potential memory-enhancing compound (CL 275,838) and its desbenzyl metabolite in rat plasma or serum
by G. Guiso, S. Confalonieri and S. Caccia (Milan, Italy) (Received June 14th, 1991) . . 346

Determination of HP 749, a potential therapeutic agent for Alzheimer's disease, in plasma by high-performance liquid chromatography
by R. S. Hsu, E. M. DiLeo, S. M. Chesson, J. T. Klein and R. C. Effland (Somerville, NJ, USA) (Received July 25th, 1991) 352

Related articles published in Journal of Chromatography, Vol. 586 360

Author Index 361

Compound Index 365

Announcement of Special Issue on Applications of Chromatography and Electrophoresis in Food Science 369

In articles with more than one author, the name of the author to whom correspondence should be addressed is indicated in the article heading by a 6-pointed asterisk (*)